

AMENDMENT TO THE CLAIMS:

Claim 1. (Currently Amended) Method for labelling a package (10), particularly one filled with cigarettes, which includes a packing element (11) for holding the product to be packed as well as a wrapping (12) at least partially surrounding the packing element (11), characterised by the following steps:

- during the process of manufacturing the package (10), at least one individual code (14) which is allocated once only is applied to the packing element (11) and/or the wrapping (12) and stored in a storage medium,
- during the process of manufacturing the package (10), furthermore at least one property characteristic of the packing element (11) and/or the wrapping (12) is detected as a measurable variable,
- the measurable variable is assigned to the code (14) belonging to the packing element (11) and/or wrapping (12) in the storage medium to form a unique data record.

Claim 2. (Currently Amended) Method according to claim 1, characterised in that the code (14) is printed and/or stamped.

Claim 3. (Currently Amended) Method according to claim 1-~~or~~2, characterised in that the code (14) is detected and then filed in the storage medium.

Claim 4. (Currently Amended) Method according to ~~any one of claims 1 to 3~~
claim 1, characterised in that in addition a scanning mark (16) is applied to the
packing element (11) and/or wrapping (12).

Claim 5. (Currently Amended) Method according to claim 4, characterised in
that the position and overlap width of a joint seam (15) of the wrapping (12) relative
to the scanning mark (16) is determined as a measurable variable.

Claim 6. (Currently Amended) Method according to ~~any one of claims 1 to 4~~
~~claim 1~~, characterised in that deviations of the position (d, e, α , β) of folds and/or cut
edges and/or overlap regions of the wrapping (12) are determined as a measurable
variable.

Claim 7. (Currently Amended) Method according to ~~any one of claims 1 to 4~~
~~claim 1~~, characterised in that patterns (17, 18) which form due to joining or closing
the wrapping are determined as a measurable variable.

Claim 8. (Currently Amended) Method according to ~~any one of claims 1 to 7~~
~~claim 1~~, characterised in that the code (14) and the measurable variable are detected
optically and processed electronically.

Claim 9. (Currently Amended) Method for identifying a package (10), particularly one filled with cigarettes, which includes a packing element (11) for holding the product to be packed as well as a wrapping (12) at least partially surrounding the packing element (11), characterised by the following steps:

- detection of at least one individual code (14) which is applied to the packing element (11) and/or the wrapping (12) and allocated once only,
- detection of at least one property characteristic of the packing element (11) and/or the wrapping (12) as a measurable variable,
- comparison of the detected code (14) and measurable variable with a unique data record for each package (10) which is stored in a storage medium during manufacture of the package (10) and composed of code (14) and measurable variable.

Claim 10. (Currently Amended) Method according to claim 9, characterised in that the position and overlap width of a joint seam (15) of the wrapping (12) relative to a scanning mark (16) applied to the packing element (11) and/or wrapping (12) is determined as a measurable variable.

Claim 11. (Currently Amended) Method according to claim 9, characterised in that deviations of the position (d, e, α , β) of folds and/or cut edges and/or overlap regions of the wrapping (12) are determined as a measurable variable.

Claim 12. (Currently Amended) Method according to claim 9, characterised in that patterns (17, 18) which form due to joining or closing the wrapping are determined as a measurable variable.

Claim 13. (Currently Amended) Method according to ~~any one of claims 9 to 12~~ claim 9, characterised in that the code (14) and measurable variable are detected optically and processed electronically.

Claim 14. (Currently Amended) Device for labelling a package (10), particularly one filled with cigarettes, which includes a packing element (11) for holding the product to be packed as well as a wrapping (12) at least partially surrounding the packing element (11), characterised in that the device includes means for detecting at least one property characteristic of the packing element (11) and/or the wrapping (12) as a measurable variable as well as a storage medium for storing the detected measurable variable, wherein the means and the storage medium are connected to each other via a personal computer (PC) or the like for assigning the measurable variable to an individual code (14) for the package (10) which is allocated once only and filed in the storage medium.

Claim 15. (Currently Amended) Device according to claim 14, characterised in that the device has means for applying the code (14).

Claim 16. (Currently Amended) Device for identifying a package (10), particularly one filled with cigarettes, which includes a packing element (11) for holding the product to be packed as well as a wrapping (12) at least partially surrounding the packing element (11), characterised in that the device includes means for detecting at least one property characteristic of the packing element (11) and/or the wrapping (12) as a measurable variable as well as a storage medium for storing the detected measurable variable, wherein the means and the storage medium are connected to each other via a personal computer (PC) or the like for comparing an individual code (14) which is allocated once only and the detected measurable variable of the package (10) to be identified, with a unique data record for each package (10) stored in the storage medium beforehand and composed of code (14) and measurable variable.

Claim 17. (Currently Amended) Package, in particular cigarette package, with a packing element (11) for holding e.g. cigarettes, wherein the packing element (11) is provided with a thin, preferably film-like wrapping (12), characterised in that an individual code (14) readable from the outside and allocated once only is applied to the packing element (11) and/or wrapping (12), and in addition a scanning mark (16) or the like is provided for detection of a characteristic property of the packing element (11) and/or wrapping (12) as a measurable variable.

Applicant(s): Harald GOSEBRUCH et al.
Atty. Docket No.: 47588-213947

Claim 18. (Currently Amended) Package according to claim 17,
characterised in that the wrapping (12) itself is the scanning mark (16).

Claim 19. (Currently Amended) Package according to claim 17,
characterised in that the scanning mark (16) is arranged on the packing element (11).

Claim 20. (Currently Amended) Package according to claim 17,
characterised in that the scanning mark (16) is arranged on the wrapping (12).

Claim 21. (Currently Amended) Package according to claim 19 or 20,
characterised in that the scanning mark (16) is arranged in the region of a joint seam
(15) of the wrapping (12).

Claim 22. (Currently Amended) Package according to ~~any one of claims 19~~
~~to 21~~ claim 19, characterised in that the scanning mark (16) is stationarily attached to
the packing element (11) and/or to the wrapping (12).

Claim 23. (Currently Amended) Package according to ~~any one of claims 19~~
~~to 22~~ claim 19, characterised in that the scanning mark (16) is stationarily attached
relative to the characteristic property to be detected.

Applicant(s): Harald GOSEBRUCH et al.
Atty. Docket No.: 47588-213947

Claim 24. (Currently Amended) Package according to ~~any one of claims 19 to 23~~ claim 19, characterised in that the scanning mark (16) is composed of print, stamping or the like which is to be found on the package (10) anyway.